





| γ(°) | 平均光強(cd) | 環帶光通(lm) | 累積光通(lm) | 有效光通(%) | 有效累計(%)  |
|------|----------|----------|----------|---------|----------|
| 0.0  | 1697.649 | .000     | .000     | .000%   | .000%    |
| 5.0  | 1636.325 | 39.857   | 39.857   | 3.875%  | 3.875%   |
| 10.0 | 1482.655 | 111.576  | 151.432  | 10.848% | 14.722%  |
| 15.0 | 1248.587 | 162.016  | 313.448  | 15.751% | 30.474%  |
| 20.0 | 941.523  | 180.496  | 493.944  | 17.548% | 48.022%  |
| 25.0 | 635.289  | 165.378  | 659.322  | 16.078% | 64.100%  |
| 30.0 | 375.224  | 127.881  | 787.204  | 12.433% | 76.533%  |
| 35.0 | 212.139  | 86.493   | 873.697  | 8.409%  | 84.942%  |
| 40.0 | 122.679  | 55.862   | 929.559  | 5.431%  | 90.373%  |
| 45.0 | 73.154   | 36.260   | 965.819  | 3.525%  | 93.898%  |
| 50.0 | 43.863   | 23.645   | 989.464  | 2.299%  | 96.197%  |
| 55.0 | 26.906   | 15.388   | 1004.851 | 1.496%  | 97.693%  |
| 60.0 | 15.936   | 9.903    | 1014.754 | .963%   | 98.656%  |
| 65.0 | 8.989    | 6.059    | 1020.813 | .589%   | 99.245%  |
| 70.0 | 4.904    | 3.518    | 1024.331 | .342%   | 99.587%  |
| 75.0 | 3.024    | 2.072    | 1026.404 | .201%   | 99.788%  |
| 80.0 | 1.930    | 1.326    | 1027.729 | .129%   | 99.917%  |
| 85.0 | .600     | .688     | 1028.417 | .067%   | 99.984%  |
| 90.0 | .000     | .164     | 1028.582 | .016%   | 100.000% |

ZONAL LUMEN SUMMARY


| Zone    | Lumens  | %Fixt   |
|---------|---------|---------|
| 0-30    | 787.20  | 76.53%  |
| 0-40    | 929.56  | 90.37%  |
| 0-60    | 1014.75 | 98.66%  |
| 0-90    | 1028.42 | 99.98%  |
| 0-120   | 1028.42 | 99.98%  |
| 0-180   | 1028.58 | 100.00% |
| 60-90   | 23.57   | 2.29%   |
| 90-120  | 0.00    | 0.00%   |
| 90-130  | 0.00    | 0.00%   |
| 90-150  | 0.00    | 0.00%   |
| 90-180  | 0.00    | 0.00%   |
| 0-32.06 | 822.87  | 80.00%  |

ZONAL LUMEN SUMMARY


|         |        |
|---------|--------|
| 0-10    | 151.43 |
| 10-20   | 342.51 |
| 20-30   | 293.26 |
| 30-40   | 142.36 |
| 40-50   | 59.91  |
| 50-60   | 25.29  |
| 60-70   | 9.58   |
| 70-80   | 3.40   |
| 80-90   | 0.69   |
| 90-100  | 0.00   |
| 100-110 | 0.00   |
| 110-120 | 0.00   |
| 120-130 | 0.00   |
| 130-140 | 0.00   |
| 140-150 | 0.00   |
| 150-160 | 0.00   |
| 160-170 | 0.00   |
| 170-180 | 0.00   |



C0/C180: —  
C90/C270: —



Max , Ave C150面光束角44.29



- (10%Emax) 4.715694
- (20%Emax) 9.431361
- (30%Emax) 14.14706
- (40%Emax) 18.86275
- (50%Emax) 23.57844
- (60%Emax) 28.29417
- (70%Emax) 33.00972
- (80%Emax) 37.72556
- (90%Emax) 42.44111

光強數據表(cd)

| C/γ(°) | 0.0     | 5.0     | 10.0    | 15.0    | 20.0    | 25.0   | 30.0   | 35.0   | 40.0   |
|--------|---------|---------|---------|---------|---------|--------|--------|--------|--------|
| 0.0    | 1697.65 | 1556.25 | 1351.01 | 1115.47 | 840.74  | 591.07 | 344.22 | 204.83 | 117.57 |
| 5.0    | 1697.65 | 1567.16 | 1361.51 | 1119.11 | 841.15  | 583.79 | 345.02 | 202.01 | 116.76 |
| 10.0   | 1697.65 | 1569.98 | 1374.85 | 1128.80 | 844.79  | 585.01 | 351.49 | 198.77 | 115.14 |
| 15.0   | 1697.65 | 1570.39 | 1386.16 | 1142.94 | 855.69  | 582.18 | 351.08 | 198.37 | 113.93 |
| 20.0   | 1697.65 | 1572.81 | 1399.90 | 1154.26 | 863.37  | 585.01 | 351.89 | 198.37 | 113.93 |
| 25.0   | 1697.65 | 1579.28 | 1412.42 | 1163.15 | 871.05  | 586.22 | 350.68 | 197.96 | 113.12 |
| 30.0   | 1697.65 | 1586.55 | 1425.35 | 1174.86 | 889.63  | 587.43 | 346.64 | 195.94 | 113.93 |
| 35.0   | 1697.65 | 1599.07 | 1438.68 | 1184.96 | 903.77  | 586.62 | 341.79 | 193.12 | 114.33 |
| 40.0   | 1697.65 | 1613.21 | 1456.05 | 1203.14 | 914.27  | 589.05 | 342.20 | 192.71 | 113.93 |
| 45.0   | 1697.65 | 1626.95 | 1470.19 | 1216.47 | 913.06  | 592.68 | 340.58 | 195.54 | 114.33 |
| 50.0   | 1697.65 | 1636.65 | 1485.95 | 1231.42 | 907.00  | 589.45 | 340.18 | 195.14 | 113.12 |
| 55.0   | 1697.65 | 1647.15 | 1501.71 | 1245.16 | 907.41  | 595.91 | 345.43 | 196.35 | 113.93 |
| 60.0   | 1697.65 | 1653.21 | 1517.06 | 1258.90 | 913.47  | 601.97 | 347.85 | 198.37 | 112.31 |
| 65.0   | 1697.65 | 1656.04 | 1526.75 | 1271.42 | 919.93  | 603.19 | 347.45 | 200.39 | 109.08 |
| 70.0   | 1697.65 | 1664.52 | 1538.07 | 1276.27 | 924.37  | 601.97 | 343.81 | 197.56 | 111.10 |
| 75.0   | 1697.65 | 1673.81 | 1548.17 | 1288.79 | 935.28  | 601.57 | 339.77 | 192.31 | 112.31 |
| 80.0   | 1697.65 | 1682.30 | 1561.50 | 1294.45 | 946.60  | 604.80 | 339.37 | 191.90 | 113.12 |
| 85.0   | 1697.65 | 1689.17 | 1572.00 | 1308.99 | 955.08  | 606.82 | 342.60 | 190.29 | 113.12 |
| 90.0   | 1697.65 | 1693.61 | 1579.28 | 1317.48 | 966.39  | 610.06 | 343.41 | 191.10 | 112.31 |
| 95.0   | 1697.65 | 1697.25 | 1586.55 | 1325.96 | 970.84  | 613.69 | 343.41 | 192.71 | 110.70 |
| 100.0  | 1697.65 | 1700.48 | 1589.78 | 1331.62 | 968.01  | 616.12 | 345.02 | 192.71 | 105.85 |
| 105.0  | 1697.65 | 1704.52 | 1594.63 | 1337.27 | 965.99  | 615.71 | 352.30 | 188.27 | 105.04 |
| 110.0  | 1697.65 | 1708.56 | 1599.07 | 1342.12 | 963.16  | 611.27 | 350.68 | 188.67 | 105.45 |
| 115.0  | 1697.65 | 1713.81 | 1607.56 | 1347.78 | 971.64  | 613.69 | 346.64 | 193.52 | 106.25 |
| 120.0  | 1697.65 | 1715.02 | 1612.81 | 1354.65 | 979.32  | 622.18 | 340.58 | 193.92 | 110.70 |
| 125.0  | 1697.65 | 1712.19 | 1607.96 | 1366.36 | 984.98  | 626.62 | 340.58 | 192.31 | 112.72 |
| 130.0  | 1697.65 | 1713.41 | 1604.73 | 1367.17 | 991.04  | 626.62 | 342.60 | 189.88 | 113.12 |
| 135.0  | 1697.65 | 1716.64 | 1597.46 | 1366.36 | 995.48  | 626.22 | 346.24 | 190.69 | 111.10 |
| 140.0  | 1697.65 | 1717.04 | 1598.67 | 1361.11 | 994.27  | 627.43 | 350.68 | 191.10 | 109.49 |
| 145.0  | 1697.65 | 1719.87 | 1595.03 | 1358.28 | 990.23  | 631.06 | 353.10 | 191.10 | 109.49 |
| 150.0  | 1697.65 | 1725.12 | 1601.50 | 1357.47 | 989.02  | 631.06 | 353.10 | 193.52 | 110.29 |
| 155.0  | 1697.65 | 1725.12 | 1599.88 | 1362.73 | 999.12  | 638.34 | 354.32 | 195.54 | 113.53 |
| 160.0  | 1697.65 | 1721.08 | 1599.48 | 1364.34 | 1001.54 | 649.65 | 355.12 | 199.18 | 115.55 |
| 165.0  | 1697.65 | 1708.15 | 1591.40 | 1361.92 | 1002.75 | 657.73 | 358.76 | 202.41 | 117.16 |
| 170.0  | 1697.65 | 1703.31 | 1592.20 | 1364.34 | 1005.18 | 660.56 | 363.21 | 205.24 | 118.78 |
| 175.0  | 1697.65 | 1701.29 | 1587.36 | 1367.57 | 1015.28 | 662.17 | 372.50 | 207.26 | 121.20 |
| 180.0  | 1697.65 | 1699.67 | 1585.34 | 1367.57 | 1021.34 | 668.23 | 378.56 | 213.32 | 123.63 |
| 185.0  | 1697.65 | 1703.71 | 1581.30 | 1368.79 | 1026.99 | 673.89 | 387.04 | 220.99 | 121.20 |
| 190.0  | 1697.65 | 1698.05 | 1578.47 | 1368.79 | 1031.44 | 678.74 | 393.51 | 221.80 | 124.44 |
| 195.0  | 1697.65 | 1694.01 | 1574.02 | 1366.77 | 1034.27 | 685.20 | 398.76 | 217.76 | 128.48 |
| 200.0  | 1697.65 | 1687.95 | 1570.39 | 1364.75 | 1038.31 | 692.07 | 399.57 | 218.57 | 129.69 |
| 205.0  | 1697.65 | 1686.34 | 1572.41 | 1357.88 | 1037.50 | 703.79 | 397.14 | 223.01 | 129.69 |
| 210.0  | 1697.65 | 1676.64 | 1567.96 | 1354.65 | 1037.50 | 709.85 | 397.14 | 228.27 | 131.30 |
| 215.0  | 1697.65 | 1668.56 | 1558.27 | 1350.61 | 1040.33 | 714.69 | 407.65 | 232.31 | 133.32 |
| 220.0  | 1697.65 | 1664.93 | 1545.34 | 1343.33 | 1041.94 | 710.65 | 420.17 | 233.11 | 135.75 |
| 225.0  | 1697.65 | 1658.46 | 1537.26 | 1325.56 | 1042.75 | 709.04 | 426.63 | 239.17 | 136.15 |
| 230.0  | 1697.65 | 1648.36 | 1515.85 | 1312.22 | 1038.71 | 708.63 | 434.71 | 243.21 | 137.77 |
| 235.0  | 1697.65 | 1638.67 | 1495.24 | 1298.49 | 1031.44 | 707.83 | 437.54 | 243.21 | 142.21 |
| 240.0  | 1697.65 | 1633.01 | 1484.74 | 1281.52 | 1018.51 | 709.44 | 434.31 | 245.23 | 143.42 |
| 245.0  | 1697.65 | 1628.56 | 1468.98 | 1261.72 | 1001.54 | 705.81 | 429.87 | 246.85 | 142.21 |
| 250.0  | 1697.65 | 1618.06 | 1453.63 | 1247.99 | 986.59  | 702.98 | 429.06 | 247.25 | 143.42 |
| 255.0  | 1697.65 | 1611.19 | 1444.74 | 1236.27 | 977.30  | 694.49 | 431.89 | 246.45 | 145.04 |
| 260.0  | 1697.65 | 1601.90 | 1433.83 | 1222.13 | 971.24  | 686.82 | 433.91 | 248.47 | 143.42 |
| 265.0  | 1697.65 | 1599.48 | 1419.29 | 1199.51 | 955.08  | 675.10 | 431.48 | 246.85 | 141.40 |
| 270.0  | 1697.65 | 1595.84 | 1409.59 | 1180.92 | 936.09  | 671.87 | 431.48 | 243.21 | 143.02 |
| 275.0  | 1697.65 | 1594.63 | 1402.32 | 1168.80 | 922.35  | 666.62 | 428.25 | 242.41 | 141.81 |
| 280.0  | 1697.65 | 1587.36 | 1390.20 | 1158.70 | 913.06  | 662.58 | 418.55 | 240.39 | 138.58 |
| 285.0  | 1697.65 | 1575.64 | 1379.69 | 1146.18 | 904.98  | 653.69 | 414.51 | 236.35 | 138.17 |

光強數據表(cd)

| C/γ(°) | 0.0     | 5.0     | 10.0    | 15.0    | 20.0   | 25.0   | 30.0   | 35.0   | 40.0   |
|--------|---------|---------|---------|---------|--------|--------|--------|--------|--------|
| 290.0  | 1697.65 | 1565.94 | 1362.32 | 1139.31 | 894.88 | 640.76 | 412.90 | 233.52 | 137.36 |
| 295.0  | 1697.65 | 1553.42 | 1351.01 | 1127.59 | 885.59 | 626.62 | 409.26 | 231.09 | 136.15 |
| 300.0  | 1697.65 | 1553.42 | 1344.55 | 1119.92 | 873.87 | 624.60 | 404.82 | 230.69 | 136.15 |
| 305.0  | 1697.65 | 1550.59 | 1338.49 | 1115.47 | 863.77 | 622.58 | 400.78 | 229.48 | 134.94 |
| 310.0  | 1697.65 | 1543.72 | 1336.47 | 1111.03 | 858.52 | 621.77 | 389.47 | 222.21 | 132.92 |
| 315.0  | 1697.65 | 1542.51 | 1331.21 | 1107.39 | 849.63 | 621.37 | 379.77 | 220.19 | 128.07 |
| 320.0  | 1697.65 | 1543.32 | 1326.37 | 1098.91 | 839.13 | 616.52 | 377.75 | 221.40 | 125.65 |
| 325.0  | 1697.65 | 1540.09 | 1321.52 | 1092.04 | 833.47 | 609.65 | 376.94 | 216.15 | 124.44 |
| 330.0  | 1697.65 | 1540.89 | 1319.50 | 1084.36 | 826.60 | 598.74 | 377.75 | 211.70 | 124.84 |
| 335.0  | 1697.65 | 1550.59 | 1322.73 | 1079.92 | 826.60 | 590.66 | 372.09 | 210.89 | 124.44 |
| 340.0  | 1697.65 | 1554.23 | 1327.17 | 1085.98 | 824.58 | 589.45 | 369.27 | 210.49 | 121.20 |
| 345.0  | 1697.65 | 1558.67 | 1338.08 | 1098.50 | 827.82 | 587.83 | 358.36 | 207.26 | 119.99 |
| 350.0  | 1697.65 | 1554.23 | 1344.14 | 1108.60 | 834.68 | 589.05 | 351.89 | 206.45 | 120.80 |
| 355.0  | 1697.65 | 1551.80 | 1346.16 | 1113.05 | 840.34 | 594.30 | 349.06 | 205.24 | 117.97 |
| 360.0  | 1697.65 | 1556.25 | 1351.01 | 1115.47 | 840.74 | 591.07 | 344.22 | 204.83 | 117.57 |

光強數據表(cd)

| C/γ(°) | 45.0  | 50.0  | 55.0  | 60.0  | 65.0  | 70.0 | 75.0 | 80.0 | 85.0 |
|--------|-------|-------|-------|-------|-------|------|------|------|------|
| 0.0    | 71.91 | 40.00 | 25.05 | 15.35 | 8.48  | 4.04 | 2.42 | 1.62 | 0.40 |
| 5.0    | 69.49 | 40.00 | 24.64 | 15.35 | 8.48  | 4.04 | 2.42 | 1.62 | 0.40 |
| 10.0   | 67.07 | 40.40 | 24.64 | 15.35 | 8.08  | 4.04 | 2.42 | 1.62 | 0.40 |
| 15.0   | 66.26 | 40.40 | 25.05 | 14.95 | 8.08  | 3.64 | 2.42 | 1.62 | 0.40 |
| 20.0   | 65.85 | 40.40 | 25.05 | 14.95 | 7.68  | 3.64 | 2.02 | 1.21 | 0.40 |
| 25.0   | 66.66 | 40.40 | 24.64 | 14.54 | 7.68  | 3.64 | 2.02 | 1.21 | 0.40 |
| 30.0   | 66.26 | 40.00 | 24.24 | 13.74 | 7.27  | 3.64 | 2.02 | 1.21 | 0.40 |
| 35.0   | 67.07 | 39.59 | 23.43 | 13.74 | 7.27  | 3.64 | 2.02 | 1.21 | 0.40 |
| 40.0   | 68.28 | 39.59 | 22.22 | 13.74 | 6.87  | 3.64 | 2.02 | 1.21 | 0.40 |
| 45.0   | 69.49 | 39.19 | 22.22 | 13.33 | 7.27  | 3.23 | 2.02 | 1.21 | 0.40 |
| 50.0   | 68.28 | 39.19 | 22.22 | 13.33 | 6.87  | 3.23 | 2.02 | 1.21 | 0.40 |
| 55.0   | 65.45 | 38.78 | 23.43 | 13.33 | 6.87  | 3.23 | 2.02 | 1.21 | 0.40 |
| 60.0   | 63.83 | 38.38 | 24.24 | 13.33 | 6.46  | 3.23 | 2.02 | 1.21 | 0.40 |
| 65.0   | 63.83 | 38.78 | 24.24 | 12.93 | 6.46  | 3.23 | 2.02 | 1.21 | 0.40 |
| 70.0   | 63.43 | 38.78 | 24.24 | 12.93 | 6.87  | 3.23 | 2.02 | 1.21 | 0.40 |
| 75.0   | 65.05 | 39.19 | 23.43 | 12.93 | 6.87  | 3.23 | 2.02 | 1.62 | 0.40 |
| 80.0   | 67.47 | 38.78 | 23.43 | 12.93 | 6.87  | 3.23 | 2.42 | 1.62 | 0.81 |
| 85.0   | 67.87 | 38.38 | 23.43 | 12.93 | 6.87  | 3.64 | 2.42 | 1.62 | 0.81 |
| 90.0   | 65.05 | 38.78 | 23.43 | 12.93 | 6.87  | 3.64 | 2.42 | 1.62 | 0.81 |
| 95.0   | 63.03 | 37.98 | 23.84 | 12.93 | 6.87  | 3.64 | 2.42 | 1.62 | 0.81 |
| 100.0  | 62.22 | 37.98 | 23.84 | 12.52 | 6.87  | 3.64 | 2.42 | 1.62 | 0.40 |
| 105.0  | 61.41 | 37.98 | 23.43 | 12.93 | 7.27  | 3.64 | 2.42 | 1.62 | 0.40 |
| 110.0  | 61.41 | 37.98 | 22.62 | 13.33 | 7.27  | 3.64 | 2.42 | 1.62 | 0.40 |
| 115.0  | 62.62 | 37.57 | 22.22 | 13.33 | 7.27  | 4.04 | 2.42 | 1.62 | 0.40 |
| 120.0  | 63.83 | 36.36 | 22.22 | 13.74 | 7.27  | 4.04 | 2.42 | 1.62 | 0.40 |
| 125.0  | 65.45 | 35.96 | 22.22 | 13.74 | 7.68  | 4.04 | 2.42 | 1.62 | 0.40 |
| 130.0  | 66.66 | 36.76 | 22.22 | 14.14 | 7.27  | 4.04 | 2.83 | 1.62 | 0.40 |
| 135.0  | 66.66 | 38.78 | 22.62 | 14.14 | 7.27  | 4.04 | 2.83 | 1.62 | 0.00 |
| 140.0  | 66.26 | 39.19 | 23.43 | 13.74 | 7.27  | 4.04 | 2.83 | 1.62 | 0.00 |
| 145.0  | 66.66 | 39.59 | 24.64 | 13.33 | 7.27  | 4.04 | 2.83 | 2.02 | 0.00 |
| 150.0  | 67.07 | 39.59 | 23.84 | 12.93 | 6.87  | 4.04 | 2.83 | 1.62 | 0.00 |
| 155.0  | 67.87 | 40.00 | 23.43 | 12.93 | 6.87  | 4.04 | 2.83 | 1.62 | 0.00 |
| 160.0  | 69.49 | 40.40 | 23.03 | 12.52 | 6.87  | 4.04 | 2.83 | 2.02 | 0.00 |
| 165.0  | 69.89 | 40.40 | 23.03 | 12.52 | 6.87  | 4.04 | 2.83 | 2.02 | 0.00 |
| 170.0  | 69.89 | 40.00 | 23.03 | 12.93 | 7.27  | 4.04 | 2.83 | 2.02 | 0.00 |
| 175.0  | 68.28 | 40.00 | 23.84 | 12.93 | 7.27  | 4.44 | 3.23 | 2.02 | 0.00 |
| 180.0  | 66.66 | 40.40 | 24.64 | 13.33 | 7.27  | 4.44 | 3.23 | 2.02 | 0.00 |
| 185.0  | 68.68 | 40.81 | 25.05 | 13.74 | 7.68  | 4.44 | 3.23 | 2.02 | 0.00 |
| 190.0  | 70.70 | 42.02 | 25.86 | 14.14 | 8.08  | 4.44 | 3.23 | 2.02 | 0.00 |
| 195.0  | 73.93 | 43.63 | 26.66 | 14.54 | 8.08  | 4.85 | 3.23 | 2.02 | 0.00 |
| 200.0  | 78.38 | 45.65 | 27.47 | 15.35 | 8.48  | 4.85 | 3.23 | 2.02 | 0.00 |
| 205.0  | 80.40 | 47.27 | 28.28 | 15.76 | 8.89  | 4.85 | 3.23 | 2.02 | 0.00 |
| 210.0  | 81.21 | 48.08 | 28.28 | 16.16 | 9.29  | 5.25 | 3.64 | 2.42 | 0.00 |
| 215.0  | 80.40 | 48.48 | 29.09 | 16.97 | 9.70  | 5.66 | 3.64 | 2.42 | 0.00 |
| 220.0  | 79.99 | 48.48 | 30.70 | 17.78 | 10.50 | 6.06 | 3.64 | 2.42 | 0.00 |
| 225.0  | 80.40 | 48.48 | 31.11 | 18.18 | 10.91 | 6.06 | 3.64 | 2.42 | 0.40 |
| 230.0  | 82.42 | 48.08 | 31.92 | 19.39 | 11.31 | 6.46 | 4.04 | 2.42 | 0.40 |
| 235.0  | 82.82 | 48.48 | 31.11 | 19.80 | 12.12 | 6.87 | 4.04 | 2.42 | 0.81 |
| 240.0  | 86.05 | 49.29 | 30.70 | 20.20 | 12.52 | 6.87 | 4.04 | 2.83 | 1.21 |
| 245.0  | 88.48 | 50.50 | 30.70 | 20.60 | 12.52 | 7.27 | 4.04 | 2.83 | 1.21 |
| 250.0  | 88.48 | 52.93 | 31.51 | 20.60 | 12.93 | 7.27 | 4.44 | 2.83 | 1.62 |
| 255.0  | 86.86 | 54.54 | 33.53 | 21.41 | 13.74 | 7.68 | 4.44 | 2.83 | 2.02 |
| 260.0  | 86.86 | 55.35 | 35.55 | 21.82 | 14.14 | 7.68 | 4.44 | 2.83 | 2.02 |
| 265.0  | 87.27 | 55.75 | 35.96 | 22.62 | 13.74 | 7.68 | 4.44 | 2.83 | 2.02 |
| 270.0  | 85.65 | 55.75 | 35.15 | 22.22 | 12.93 | 7.68 | 4.44 | 2.83 | 2.02 |
| 275.0  | 86.46 | 55.75 | 33.94 | 21.41 | 12.52 | 7.27 | 4.44 | 2.83 | 2.02 |
| 280.0  | 87.27 | 54.14 | 33.13 | 21.01 | 12.52 | 7.27 | 4.44 | 2.83 | 1.62 |
| 285.0  | 86.05 | 54.14 | 32.32 | 20.60 | 12.52 | 7.27 | 4.04 | 2.83 | 1.62 |

光強數據表(cd)

| C/γ(°) | 45.0  | 50.0  | 55.0  | 60.0  | 65.0  | 70.0 | 75.0 | 80.0 | 85.0 |
|--------|-------|-------|-------|-------|-------|------|------|------|------|
| 290.0  | 84.84 | 52.12 | 32.72 | 20.20 | 12.12 | 6.87 | 4.04 | 2.42 | 1.62 |
| 295.0  | 83.23 | 50.50 | 32.72 | 19.80 | 12.12 | 6.87 | 4.04 | 2.42 | 1.21 |
| 300.0  | 81.21 | 49.69 | 32.32 | 19.80 | 11.31 | 6.87 | 3.64 | 2.42 | 1.21 |
| 305.0  | 80.40 | 49.29 | 31.92 | 19.39 | 10.91 | 6.46 | 3.64 | 2.42 | 1.21 |
| 310.0  | 79.99 | 49.69 | 32.32 | 18.58 | 10.91 | 6.06 | 3.64 | 2.02 | 1.21 |
| 315.0  | 79.99 | 50.10 | 31.92 | 18.58 | 10.91 | 6.06 | 3.64 | 2.02 | 0.81 |
| 320.0  | 79.19 | 50.91 | 31.11 | 18.18 | 10.91 | 6.06 | 3.23 | 2.02 | 0.81 |
| 325.0  | 78.38 | 49.29 | 29.09 | 18.18 | 10.50 | 5.66 | 3.23 | 2.02 | 0.81 |
| 330.0  | 76.36 | 48.08 | 28.68 | 17.37 | 10.10 | 5.66 | 3.23 | 2.02 | 0.81 |
| 335.0  | 73.93 | 46.06 | 27.88 | 17.37 | 9.29  | 5.25 | 2.83 | 2.02 | 0.40 |
| 340.0  | 73.13 | 43.63 | 27.47 | 17.37 | 9.29  | 4.85 | 2.83 | 1.62 | 0.40 |
| 345.0  | 71.51 | 42.42 | 27.47 | 16.56 | 8.89  | 4.85 | 2.83 | 1.62 | 0.40 |
| 350.0  | 70.70 | 41.61 | 26.66 | 15.76 | 8.89  | 4.44 | 2.42 | 1.62 | 0.40 |
| 355.0  | 71.51 | 41.21 | 25.45 | 15.35 | 8.89  | 4.44 | 2.42 | 1.62 | 0.40 |
| 360.0  | 71.91 | 40.00 | 25.05 | 15.35 | 8.48  | 4.04 | 2.42 | 1.62 | 0.40 |

光強數據表(cd)

| C/γ(°) | 90.0 |
|--------|------|
| 0.0    | 0.00 |
| 5.0    | 0.00 |
| 10.0   | 0.00 |
| 15.0   | 0.00 |
| 20.0   | 0.00 |
| 25.0   | 0.00 |
| 30.0   | 0.00 |
| 35.0   | 0.00 |
| 40.0   | 0.00 |
| 45.0   | 0.00 |
| 50.0   | 0.00 |
| 55.0   | 0.00 |
| 60.0   | 0.00 |
| 65.0   | 0.00 |
| 70.0   | 0.00 |
| 75.0   | 0.00 |
| 80.0   | 0.00 |
| 85.0   | 0.00 |
| 90.0   | 0.00 |
| 95.0   | 0.00 |
| 100.0  | 0.00 |
| 105.0  | 0.00 |
| 110.0  | 0.00 |
| 115.0  | 0.00 |
| 120.0  | 0.00 |
| 125.0  | 0.00 |
| 130.0  | 0.00 |
| 135.0  | 0.00 |
| 140.0  | 0.00 |
| 145.0  | 0.00 |
| 150.0  | 0.00 |
| 155.0  | 0.00 |
| 160.0  | 0.00 |
| 165.0  | 0.00 |
| 170.0  | 0.00 |
| 175.0  | 0.00 |
| 180.0  | 0.00 |
| 185.0  | 0.00 |
| 190.0  | 0.00 |
| 195.0  | 0.00 |
| 200.0  | 0.00 |
| 205.0  | 0.00 |
| 210.0  | 0.00 |
| 215.0  | 0.00 |
| 220.0  | 0.00 |
| 225.0  | 0.00 |
| 230.0  | 0.00 |
| 235.0  | 0.00 |
| 240.0  | 0.00 |
| 245.0  | 0.00 |
| 250.0  | 0.00 |
| 255.0  | 0.00 |
| 260.0  | 0.00 |
| 265.0  | 0.00 |
| 270.0  | 0.00 |
| 275.0  | 0.00 |
| 280.0  | 0.00 |
| 285.0  | 0.00 |

光強數據表(cd)

|        |      |
|--------|------|
| C/γ(°) | 90.0 |
| 290.0  | 0.00 |
| 295.0  | 0.00 |
| 300.0  | 0.00 |
| 305.0  | 0.00 |
| 310.0  | 0.00 |
| 315.0  | 0.00 |
| 320.0  | 0.00 |
| 325.0  | 0.00 |
| 330.0  | 0.00 |
| 335.0  | 0.00 |
| 340.0  | 0.00 |
| 345.0  | 0.00 |
| 350.0  | 0.00 |
| 355.0  | 0.00 |
| 360.0  | 0.00 |